

ACCEPTED GROUPS FOR LAPBIAT2 ON 3RD MAY 2007

Station	Title of the project	Origin of User	# persons	# mandays	Period of the visit
KEVO	Volatile emission of herbivore-stressed mountain birch and its interactions with the atmosphere in lapland (Alessio)	CREAF - Centre de Recerca Ecologica i Aplicacions Forestals Spain	1	40	05 June to 14 July 2007
	Effects of fungal endophytes on reproductive allocation in red fescue (<i>Festuca rubra</i>) - comparison across genotypes and habitats (Olejniczak, Jankowska, Stach)	Institute of Nature Conservation Polish Academy of Science, Mickiewicza 33,31-120 Krakow Poland	3	70	11-30 May, 1-30 June, and 1-20 Aug
	The Climatology and Dynamics of the Cold Pool at Kevo, Northern Finland (Pepin, Armbruster, Schaefer, Riddy)	Dept. Geography, Portsmouth Univ., Buckingham Building, Lion Terrace, PO1 3HE, U.K.	4	152	September 2007 + others
	Subtotal		8	262	
KIL	Bumblebees under the midnight sun - Monitoring circadian foraging patterns of bumblebees under the midnight sun, using radio frequency identification (RFID) (Stelzer)	School of Biological and Chemical Sciences, Queen Mary University of London, 327 Mile End Road, London E1 4 NS, UK	1	42	11.06. - 22.07.2007
	Diversity of predatory rhagidiid mites (<i>Acari: Rhagidiidae</i>) inhabiting montane soils and stony debris in Lapland (Zacharda, Kucera)	Institute of Systems Biology and Ecology Academy of Sciences of the Czech Republic, Na Sadkach 7, 370 05 Ceske Budejovice, Czech Republic	2	28	20 Aug to 2 Sep 2007
	Subtotal		3	70	

Station	Title of the project	Origin of User	# persons	# mandays	Period of the visit
KOLARI	Comparison of the Genetic Structure and Habitat Preferences of Polish and Finnish Populations of Galium trifidum L. in Zoological Aspect (Włodzimierz Pisarek)	Department of Botany and Nature Conservation University of Warmia and Mazury in Olsztyn; Plac Lodzki 1; 10-727 Olsztyn, Poland	1	45	1.07.-31.08.2007
	Subtotal		1	45	

OULANKA	Physiological reasons behind the edge of the range. Is winter energetics determining the great tit's northern distribution margin? (Broggi)	Evolutionary and Behavioural Ecology Associate Unit (CSIC), Natural History Museum, Passeig Picasso s/n, 08003 Barcelona, Spain	1	60	20 Sep -20 Oct 2007, 15 Feb -15 Mar 2008
	Breeding cost as a constraint of bird distribution in northern Europe: Finnish and Latvian comparison of immunological parameters of great tits Parus major (Krams, Krama, Osipovs)	Daugavpils University, Vienibas iela 13, LV-5401 Daugavpils, Latvia; Tartu University, Vanemuise 46, 51014 Tartu, Estonia	3	48	4-19 June 2007
	Subtotal		4	108	

Station	Title of the project	Origin of User	# persons	# mandays	Period of the visit
SGO	Ground-based signatures of relativistic electron precipitation (Kavanagh, Denton)	Department of Communication Systems, Lancaster University Lancaster, LA1 4 WA, UK	2	56	October 2007
	Physiological reasons behind the edge of the range. Is winter energetics determining the great tit's northern distribution margin? (Broggi)	Evolutionary and Behavioural Ecology Associate Unit (CSIC), Natural History Museum, Passeig Picasso s/n, 08003 Barcelona, Spain	1		20 Sep -20 Oct 2007, 15 Feb -15 Mar 2008
	Subtotal		2 (3)	56	
FMI-ARC	Comparison of the Genetic Structure and Habitat Preferences of Polish and Finnish Populations of Galium trifidum L. in Zoological Aspect (Włodzimierz Pisarek)	Department of Botany and Nature Conservation University of Warmia and Mazury in Olsztyn; Plac Lodzki 1; 10-727 Olsztyn, Poland	1		1.07.-31.08.2007
	Subtotal		0 (1)		
GRAND TOTAL			18	541	